







pro speed

With 100% recycled EPS recycled EPS recycled EPS recological and ecological and economical.

NOTICE PORT OF THE PROPERTY OF TH



pro
















Thermozell

THE ORIGINAL SINCE 1992.

The optimal starting material for the professional and the construction site. Tested and approved by building authorities since 1995.







High quality

The general building authority approval / design approval (Z-23.11-266) guarantees **top quality** of our products.

economical

24 hours ready for covering (pro speed) enables easiest processing in screed pumps and mixing trucks -delivered as palletized product or in bulk.

Benefits of the pre-treated recycled EPS* granulate



Absolutely 100% free from HBCD



Dimensionally stable, lightweight



and highly **resilient**Suitable for **indoor** and



Rapid drying and ready for covering

outdoor



Easy, fast and dust-free application



Homogeneous mixability due to a mix of additives



High strength without compaction




No different settling behavior



Sufficient load bearing capacity



Level surface





Level compensation

Installations, beam ceiling, vault, slope, etc



Foundation

Screeds, tiling, underfloor heating, etc



Backfill

Wall, ceiling, pool, etc





Learn more about Thermozell:











pro Refined Granule



www.thermozell.com

The data in this technical information correspond to the state of our knowledge and experience.

Please check our products for their suitability for the specific application. If you have any questions, please do not hesitate to contact our regional representatives.